

add the joy of colour to your life

TECHNICAL DATA SHEET

VELVET SATIN

Description:	A high quality acrylic emulsion paint, to give good flow resulting in a velvet smooth sheen finish.
Chemical Basis:	Acrylic emulsion
Characteristics:	White remains white, non-yellowing Washable, very good scrub resistance Easy to clean, removes dirt and grime Water based, easy application, low odour and quick drying.
Intended Uses:	Suitable for direct application to primed or previously painted interior walls. Can also be used on primed metal and wooden surfaces.

Physical Properties:

<i>Density</i>	Typical 1.30 – 1.38
<i>Viscosity</i>	Thixotropic
<i>Finish</i>	Sheen
<i>Colour Availability</i>	White and various colours
<i>Spreading Rate</i>	7 – 9 sq. meter / litre, dependent on surface texture
<i>PH</i>	8.5 – 9
<i>Flash Point</i>	Non flammable
<i>Shelf Life</i>	Six Months from date of manufacture in unopened original container stored @ below 30 degree C
<i>Pack Size</i>	5LT and 20LT



add the joy of colour to your life

Recommended Surface

Preparation:

Surfaces must be clean, dry and free of grease/oil contaminants.

Recommended Application Details:

Mixing Ratio

One pack product, stir with flat paddle until homogenous before use.

Thinning is not recommended

Application Method

Apply by brush, roller or airless spray

Dry Film Thickness

2 Coats @ 35 microns per coat

Drying Conditions

Surface Dry 30 Mins – 60 Mins

Hard dry 4 Hour

Application Limitations

Do not apply during wet conditions and when temperature is below 5-degree C.

Rough plaster can result in mud cracking due to uneven film application.

Cannot be applied over poor-quality undercoats



add the joy of colour to your life

Health and Safety Data:

<i>Use</i>	Use in a ventilated area
<i>Protective Clothing</i>	Gloves, goggles and suitable protective clothing should be used.
<i>Storage</i>	Store away from excessive heat and keep out of reach of children.

The information contained herein is accurate and factual to the best of our knowledge and is given in good faith. However, no warranty is implied or expressed in respect of any recommendation or suggestions contained herein. The onus is on the end user to ensure the suitability of this product to meet their requirements. Health and safety procedures when using this product are the end users responsibility.